

# THE HIGH SCHOOL FINALS

---



The Finals will be conducted in rounds. One at a time, each remaining contestant will have **two and a half minutes** to compute an indefinite integral. If answered correctly, the contestant remains in the competition. Once every remaining contestant has attempted one problem, a round is completed. If during any round, all contestants are unable to complete a problem correctly, all contestants will remain in the competition for another round.

**The last person remaining wins an additional \$75** and will be crowned the **Integration Champion!**

**INTEGRAL #1**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #1

$$\int \frac{1}{x} dx$$





## INTEGRAL #1

**INTEGRAL #2**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #2

$$\int \frac{\sin x}{\cos x} dx$$

## INTEGRAL #2

$$\int \frac{\sin x}{\cos x} dx$$

$$= - \int \frac{d}{\cos x} \quad [ \frac{d}{dx} \cos x = - \sin x ]$$

$$= \frac{1}{\cos x} + C$$

$$= \frac{1}{\cos x} + C$$





### INTEGRAL #3

$$\int \frac{1}{x^2 + x} dx$$

## INTEGRAL #3

$$\int$$

**INTEGRAL #4**

**READY,  
GET SET,...**

**2:30**



## INTEGRAL #4

$$\int \frac{e^x + e^{-x} + e^{-x}}{e^{-x}} dx$$

$$= \int \left( \frac{e^x}{e^{-x}} + \frac{e^{-x}}{e^{-x}} + \frac{e^{-x}}{e^{-x}} \right) dx$$

$$= \int \left( -e^{-x} + -e^{-x} + -e^{-x} \right) dx$$

=



**INTEGRAL #5**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #5

$$\int \frac{\sqrt{\quad} + \sqrt{x}}{\sqrt{x}} dx$$

## INTEGRAL #5

$$\int \frac{\sqrt{1 + \sqrt{x}}}{\sqrt{x}} dx$$

$$= \int \sqrt{\frac{1 + \sqrt{x}}{x}} dx = \int \frac{\sqrt{1 + \sqrt{x}}}{\sqrt{x}} dx$$

$$= \frac{2}{3} (1 + \sqrt{x})^{3/2} + \frac{2}{5} (1 + \sqrt{x})^{5/2} + C$$

$$= \frac{2}{3} (1 + \sqrt{x})^{3/2} + \frac{2}{5} (1 + \sqrt{x})^{5/2} + C$$



**INTEGRAL #6**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #6

$$\int e^x \sin e^x \cos e^x dx$$

# INTEGRAL #6

$$\int e^x \sin e^x \cos e^x dx$$

$$= \int \frac{d}{dx} [\sin e^x] \frac{d}{dx} [e^x \cos e^x] dx$$

$$= \frac{\sin e^x}{e^x} + \frac{\cos e^x}{e^x}$$

**INTEGRAL #7**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #7

$$\int \frac{\cot x - \sec x}{\cot x} dx$$





# INTEGRAL #0

$$\int \frac{(x+1) + (x+1)}{(x+1)(x+1)} dx$$

$$dx \quad dx$$



## INTEGRAL #8

$$\int \frac{(x+1) + (x+1)}{(x+1)(x+1)} dx$$

$$= \int \left( \frac{(x+1)}{(x+1)(x+1)} + \frac{(x+1)}{(x+1)(x+1)} \right) dx$$

$$= \int \left( \frac{1}{(x+1)} + \frac{1}{(x+1)} \right) dx$$

$$= -\frac{1}{(x+1)} - \frac{1}{(x+1)} + C$$



.



## INTEGRAL #9

$$\int \sqrt{\sqrt{\sqrt{x}}}$$



## INTEGRAL #9

$$\int \frac{\sqrt{\tan x}}{\sin x} dx$$

$$= \int \frac{\sqrt{\tan x}}{\cos x} dx = \int \sqrt{\tan x} \sec x dx$$

$$= \int \sqrt{\tan x} d(\tan x) \quad \left[ = \tan x \quad d(\tan x) = \sec x dx \right]$$

$$= \frac{2}{3} \tan^{3/2} x + C = \frac{\tan x}{\sqrt{\tan x}} + C$$

**INTEGRAL #10**

**READY,  
GET SET,...**

**2:30**

## INTEGRAL #10

$$\int \frac{\sqrt{x}}{x\sqrt{x} + \sqrt{x}} dx$$



$$\int \frac{\sqrt{x}}{x\sqrt{x} + \sqrt{x}} dx$$

$$= \int \frac{x}{\sqrt{x} + \sqrt{x}} dx$$

$$= \int \frac{1}{\sqrt{x}} dx \quad \left[ \frac{1}{\sqrt{x}} = \frac{1}{x^{1/2}} \quad \frac{d}{dx} x^{1/2} = \frac{1}{2} x^{-1/2} dx \right]$$

$$= \frac{1}{\sqrt{x}} + \dots$$
